






Q Cheat Sheets

What to do when you cannot figure out how to use Q	Right-click on whatever it is you are trying to change
	Type into Search <input type="text" value="Search features and data"/>
	Get help interpreting a table Help ► Interpret This Table
	Read the wiki Help ► Q Wiki (Online Reference Manual)
	Do some training modules Help ► Online Training
Contact support support@q-researchsoftware.com	

What to do when the data looks wrong	Contact the person that set up the project (if you did not do it yourself)
	Check the base <input type="text" value="base n = 0; total n = 13; 13 missing; 88% filtered out"/>
	Check n and base n Statistics – Cells ► n or Base n
	Check statistical testing Show significance: Compare columns Edit ► Project/Table Options ► Statistical Assumptions
	Check that the Question Type setting makes sense on the Variables and Questions tab Either go to the Variables and Questions tab and find the data, or, press to the right of the relevant dropdown menu
	Check that the Filter is correct E.g., <input type="text" value="Filter: Q8. One or more message not recalled"/>
	Check that the Weight is appropriate E.g., <input type="text" value="Weight: None"/>
	Check that the correct rules are applied and, try and remove the rules If a Rule has been applied, a pink Rules tab will appear at the bottom of the table. Control when applied using the Apply dropdowns <input type="text" value="Table Rules"/>
	Hide or unhide variables On the Variables and Questions tab, press H
	Check if empty rows/columns are hidden Check to see if is depressed (this hides empty rows and columns)
	Review the Value Attributes Right-click on a row or column heading and select Values
	Review how a variable has been constructed 1. Go to the Variables and Questions tab 2. Find the variable 3. Right-click: Edit Variable
Contact support File ► Send Pack ► To Support and indicate which table and which cells in the table look wrong and why	

Data files and file management When you analyze data in Q you are always using two files: <ul style="list-style-type: none">Project file (.Q): this contains all the work you have done in Q.Data file (e.g., .sav): this contains your survey data; Q does not change the raw data.	Start a new project 1. File ► Import New Data File (New Project) 2. Either click Yes to all questions, or, use a special-purpose QScript for cleaning 3. Automate ► Brows Online Library ► Preliminary Project Setup
	Starting using a QPack 1. Double-click on the QPack or File ► Open Existing Project 2. File ► Save Project 3. Read any messages carefully (as you may destroy work)
	Opening a project File ► Open Existing Project or Recent Projects
	Share projects File ► Send Pack This sends the project and data files
	Update project with new data File ► Import Updated Data File (Current Project)
	Merge different projects Open two copies of Q and drag and drop tables and variables from one project to another
	Merge data files Tools ► Merge Data Files
	Stack data Tools ► Stack SPSS Data File
	Panel data (e.g., occasion-based data) 1. Stack the data (if necessary) 2. File ► Add Data to Project 3. File ► Edit Data File Relationships

Weights and filters Weights and filters can be applied to the entire project or to selected tables and plots.	Applying filters and weights <input type="text" value="Filter: France"/> AND <input type="text" value="Total sample"/> <input type="text" value="Weight: None"/>
	Creating a weight Create ► Variables and Questions ► Variable(s) ► Weight
	Allowing variables to be selectable as weights and filters On the Variables and Questions tab, press F W
	Creating simple filters Automate ► Browse Online Library ► Create Filters from Selected Data
	Creating filters from a table Create a table, select the relevant cells and press
Creating complicated filters Find filters created from a table on the Variables and Questions tab (V&Q), right-click: Edit variable	

Tables and plots		
Note that the one of the main ways of modifying a table is to change the data in the table, and when this is done all other tables using the same data will also change (see Manipulating Data)	View additional statistics	Right-click: Statistics – Cells/Right/Below ▶
	Duplicate a table	
	Changing the data	 
	Create plots in Q	Select from Show Data As (top middle of the screen)
	Customizing the look and feel of tables	File ▶ Project Options and Table Styles
	Lock the dropdowns used to select data on a table	Right-click on table(s) in the <i>Report</i> and select Lock
	Create folders	Right-click on a table in the <i>Report</i> and Add group
	Create lots of tables	Automate ▶ Browse Online Library ▶ Create Tables ▶ Banner Tables (this also automatically creates banners and flattens data – see Manipulating Data)
	Simultaneously change lots of tables/plots	Select them all at the same time and then modify as normal (e.g., apply filters, right-click and Statistics – Cells)

Viewing raw data		
Seeing the raw data for a question		Brown dropdown menu: RAW DATA
Seeing raw data for lots of variables in Excel		<ol style="list-style-type: none"> 1. Select the variables in the Variables and Questions tab 2. Right-click: Export variables to Excel 3. In Excel: VIEW ▶ Freeze Panes ▶ Freeze Top Row 4. In Excel: DATA ▶ Filter
Seeing all the raw data in Q		All the raw data is viewable on the Data tab. You can sort columns, show filters and re-order the columns (this is done on the Variable and Questions tab)

Exporting		
Any chart templates that you create in Excel, PowerPoint and Word, are available in the Format dropdown that appears when exporting. See also Viewing raw data .	Export to PDF	File ▶ Export to PDF
	Create online report	File ▶ Share as Dashboard
	Export to Excel, PowerPoint and Word	  
	Automatically update Office exports	  
	Setting default chart types for Office	<ol style="list-style-type: none"> 1. Create <i>Chart Templates</i> using Excel, Word or PowerPoint 2. Edit ▶ User Options ▶ Export Chart Defaults

Manipulating data		
There are lots of tools for manipulating data. These are only some of the more commonly-used basic tools.	Merging	Drag and drop, or, right-click: Merge
	Creating NETs	Right-click: Create NET
	Reproducing merging and creating NETs on other similar questions	Automate ▶ Browse Online Library ▶ Modifying Data ▶ Use a Question as a Template for Modifying Other Questions
	Re-ordering categories/sorting	<ul style="list-style-type: none"> • Drag and drop • Right-click: Sort By • Automate ▶ Online Library and search for <i>sort</i>
	Removing a category and rebasing	<ul style="list-style-type: none"> • Right-click: Remove (only for mutually exclusive options) • Filtering: Create a NET and right-click on it: Create filter
	Removing a category without rebasing	Right-click: Hide
	Switch between % and averages as main statistics on a table	<ol style="list-style-type: none"> 1. Right-click on the row or column headers of the data on the table 2. Select the question (its name will appear near the bottom) 3. Select Restructure and the appropriate option.
	Creating a 2 nd version of a question	Right-click on table row/column heading: Duplicate Question
	Comparing two questions (e.g., pre and post)	<ol style="list-style-type: none"> 1. Go to the Variables and Questions tab 2. Select the variables in the questions. 3. Right-click: Copy and Paste Variable(s) ▶ Exact copy 4. Select the newly-created copies 5. Right-click: Set Question 6. Choose an appropriate Question Type <ol style="list-style-type: none"> a. Pick One – Multi if combining two categorical questions b. Number – Multi if combining two numeric variables c. Number – Grid if combining sets of numeric variables d. Pick Any – Grid if comparing multiple response questions
	Banding numeric variables	<ol style="list-style-type: none"> 1. See <i>Creating a 2nd version of a question</i> 2. See <i>Switch between % and averages as main statistics on a table</i>
	Recoding (changing Value Attributes)	Right-click on table row/column heading, select Values and change the numbers in the Value column
	Flatten (i.e., change a grid to a single column)	Automate ▶ Browse Online Library ▶ Create New Variables ▶ Flatten
	Create a banner	<ol style="list-style-type: none"> 1. Create a new table 2. Create ▶ Banner... and then select the banner in the brown drop-down menu
	Nest one variable within the variables in a Pick One – Multi (i.e., grid)	<ul style="list-style-type: none"> • Automate ▶ Browse Online Library ▶ Filtering ▶ Filter One Question by Another Question, or • Stack the data: Tools ▶ Stack SPSS .sav File
	Create a numeric variable	Create ▶ Variables and Questions ▶ Variable(s) ▶ JavaScript Formula ▶ Numeric

<p>Example: <code>q1 + q2 * 14 / 3</code></p> <p>If statement: <code>==</code> means "equals", <code> </code> means "or", and <code>&&</code> means "and":</p> <pre>if ((age <= 39 fit == 1) && gender == 1) 1; else 2;</pre> <p>Shorthand if statement</p> <pre>age > 39 ? 1 : 2;</pre> <p>Multi-line expression</p> <pre>var respondent_age = d1; var respondent_gender = d2; var age_by_gender = respondent_age + 100 * respondent_gender; age_by_gender;</pre>	
Create a categorical variable	1. See <i>Create a numeric variable</i> 2. See <i>Switch between % and averages as main statistics on a table</i>
Recoding into a different variable	1. Right-click: Copy and Paste Variable(s) ► Exact copy 2. Modify the variable as per your needs
Standard mathematical functions	V&Q: Insert Ready-Made Formula(s) ► Mathematical Functions (by Case)
Creating a binary variable	Follow the steps for creating filters Weights and Filters

Automation	Automatically creating variants of a derived variable	V&Q: Insert Ready-Made Formula(s) ► Use as Template for Replication
	Creating a custom QScript	1. Type the name of a similar QScript (🔍) into the <i>Search</i> box 2. Hover your mouse over the QScript in QScripts and Rules . 3. Press Edit a copy 4. Modify as per your needs and save and close it. 5. Automate ► Run QScript (Macro) from file
	Creating a custom Rule	Automate > Custom Rule > Edit JavaScript , or, follow the same process as with <i>Creating a custom QScript</i> , except using a Rule (🔍).
	Automatic dashboard updating	web-q.com/API

Factor analysis / Principal Components Analysis	Standard Principal Components Analysis (PCA)	1. Create a single Number - Multi question with all the variables that you wish to include 2. Create ► Traditional Multivariate Analysis ► Principal Components Analysis 3. Re-run the analysis with different numbers of components (if desired). It can be useful to delete the components that are created.
	Non-linear Principal Components Analysis	Create ► Map ► Type of Analysis ► Use the questions selected below (multiple correspondence analysis)
	Saving factors from non-linear PCA	Choose Save factors on the dialog box

Brand association analysis	Brand Maps	1. Create a table of the data (e.g., a SUMMARY table of a Pick Any – Grid question) 2. Create ► Map ► Type of Analysis ► Use the current table: Correspondence Analysis 3. Choose your preferred Plotting option
	Driver analysis	1. Stack the data 2. Use one of the methods described below for Regression
	Residual analysis	1. Create a table of the data (e.g., a SUMMARY table of a Pick Any – Grid question) 2. Statistics – Cells ► z-Statistics , which shows normalized residuals (i.e., a score of more than 1.96 is significantly high at the 0.05 level, ignoring multiple comparison issues)

Max-Diff and Choice Modeling	Importing the experimental design into a project	Automate ► Browse Online Library ► Max-Diff ► Max-Diff Setup from an Experimental Design , or, ... Automate ► Browse Online Library ► Choice Modeling ► Choice-Based Conjoint (CBC) Setup
	Viewing statistics	1. Right-click and select Statistics – Cells 2. Select all the cells on the table (except headings) and press α
	Segmentation	Create ► Segments and press OK (see Segmentation)
	Coefficients for each respondent	1. Set the Case IDs in the Data tab 2. Create segments, or, another mixture model (Create ► Segments ► Advanced) 3. Right-click on a segment and select Save Individual-Level Parameter Means and Standard Deviations 4. Select RAW DATA in the Brown dropdown menu
	Profiling the results	Create crosstabs with the <i>Question</i> created when the experimental design was imported (i.e., this is vastly superior to using the individual-level coefficients)

Correlation, Regression and Driver Analysis	
<i>Correlation</i>	Select Number or Number – Multi questions in the Blue and Brown dropdowns
<i>Linear Regression</i>	<ol style="list-style-type: none"> 1. Ensure that the <i>Dependent Variable</i> has a Question Type of Number 2. If you are planning to use stepwise regression, ensure that variables that you wish grouped together are in the same question, and variables that you want treated separately are in separate questions 3. Ensure that any numeric independent variables are Number or Number – Multi and any that you wish to treat as categorical are a categorical Question Type 4. Create ► Traditional Multivariate Analysis ► Regression
<i>Binary Logit</i>	Same as linear regression, except with a Pick One dependent variable with two categories
<i>Ordered Logit</i>	Same as linear regression, except with a Pick One dependent variable that has Variable Type of Ordered Categorical
<i>Multinomial Logistic</i>	Same as linear regression, except with a Pick One dependent variable that has Variable Type of Categorical
<i>MNL, Rank-Ordered Logit, Latent Class Logit, Random Parameters Logit</i>	<ol style="list-style-type: none"> 1. Setup the regression as an Experiment (i.e., this is what is done when you setup a Max-Diff or Choice Modeling experiment) 2. Create ► Segments ► Advanced
<i>Automating large numbers of regressions</i>	Setup the regression as an Experiment (i.e., this is what is done when you setup a Max-Diff or Choice Modeling experiment), and then create tables, each which will contain regressions
<i>TURF</i>	Automate ► Browse Online Library ► Multivariate ► TURF...
<i>Shapley regression, Kruskal Driver Analysis, etc.</i>	Automate ► Browse Online Library ► Multivariate ► Driver (Importance) Analysis

Segmentation	
<i>Preparing the data</i>	<p>Create appropriate derived variables (see the earlier section). E.g.,</p> <ul style="list-style-type: none"> • Show rating scales as Top 2 Boxes (i.e., Pick Any) • Show rating scales Number – Multi • Show rating scales as Ranking • Automate ► Browse Online Library ► Create New Variables ► Standardize Data by Case • Principal Components Analysis
<i>Create the segments</i>	<ol style="list-style-type: none"> 1. Create ► Segments 2. Select the desired questions in Questions to Analyze 3. Ensure that Form segments by is set to splitting by individuals (latent class analysis, cluster analysis, mixture models) 4. Press Advanced and you have additional options. Note that the defaults in segmentation are generally pretty useful, but if you modify advanced options you can quite easily create invalid analyses. 5. Re-run the analysis with: <ul style="list-style-type: none"> • Different input variables • Different Question Types for the input variables 6. Different number of segments (Create ► Segments ► Number of segments per split ► Manual)
<i>Profiling the segments</i>	Create ► Smart Tables



Question Types

The way that Q presents data is determined by the underlying **Question Type** of the data. Question types are set automatically when importing data and can be modified in the **Variables and Questions** tab.

Question Type	Description	Example																
Text	Each observation in the data file contains text.	What is your name? _____																
Text – Multi	Multiple related fields of text for each observation in the data file.	Please type in the names of your three favorite soft drinks 1.____ 2. ____ 3.____																
Pick One	A set of mutually exclusive and exhaustive categories (i.e., <i>nominal</i> or <i>ordinal</i> scales).	Are you... <input type="radio"/> Male <input type="radio"/> Female																
Pick One – Multi	A series of Pick One questions sharing the same scale points.	Please rate your satisfaction with the following banks <table style="margin-left: 40px;"> <thead> <tr> <th></th> <th>Low</th> <th>Med</th> <th>High</th> </tr> </thead> <tbody> <tr> <td>Westpac</td> <td><input type="checkbox"/></td> <td><input type="checkbox"/></td> <td><input type="checkbox"/></td> </tr> <tr> <td>ANZ</td> <td><input type="checkbox"/></td> <td><input type="checkbox"/></td> <td><input type="checkbox"/></td> </tr> <tr> <td>St George</td> <td><input type="checkbox"/></td> <td><input type="checkbox"/></td> <td><input type="checkbox"/></td> </tr> </tbody> </table>		Low	Med	High	Westpac	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	ANZ	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	St George	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
	Low	Med	High															
Westpac	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>															
ANZ	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>															
St George	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>															
Number	A numeric variable (i.e., <i>interval</i> or <i>ratio</i> scale).	How many glasses of wine did you drink last night? ____																
Number – Multi	A series of numeric variables measured on the same scale.	Next to the brands below, please indicate how many times you have purchased them in the past week Coke ____ Pepsi ____ Fanta ____																
Pick Any	What is usually referred to in market research as a multiple response or multi question. Respondents are asked to pick all that apply from a list of options.	Which of the following have you bought in the past week? <input type="checkbox"/> Coke <input type="checkbox"/> Pepsi <input type="checkbox"/> Fanta																
Pick Any – Compact	Same as Pick Any but stored in a more compact format (see the <i>Q Reference Manual</i>).																	
Pick Any – Grid	A set of binary variables that can be thought of as being ordered in two dimensions (e.g., a Pick Any question asked in a loop).	Which of these brands are cool? <input type="checkbox"/> Coke <input type="checkbox"/> Pepsi <input type="checkbox"/> Fanta Which of these brands are young? <input type="checkbox"/> Coke <input type="checkbox"/> Pepsi <input type="checkbox"/> Fanta Which of these brands are sexy? <input type="checkbox"/> Coke <input type="checkbox"/> Pepsi <input type="checkbox"/> Fanta																
Number – Grid	A question requiring numeric responses, where the variables can be thought of as being ordered in two dimensions (e.g., a Number – Multi question asked in a loop).	In the past month, how many <i>economy flights</i> did you take on... Qantas ____ United ____ SAS ____ ...and how many <i>business class flights</i> did you take on... Qantas ____ United ____ SAS ____																
Date	A question containing a date.	What is your date of birth? ____ / ____ / 19____																
Ranking	Multiple numeric variables that represent a ranking, where the highest number is most preferred and ties are permitted.	Rank the following brands according to how much you like them... Coke ____ Pepsi ____ Fanta ____																
Experiment	A Number , Number – Multi , Ranking , Pick One or Pick One – Multi question, where the alternatives presented were varied using an experimental design.	Which of these would you buy? <table style="margin-left: 40px;"> <tbody> <tr> <td>Coke \$2.00 Can</td> <td>Pepsi \$4.20 Bottle</td> <td>Fanta \$3.20 Flask</td> </tr> </tbody> </table>	Coke \$2.00 Can	Pepsi \$4.20 Bottle	Fanta \$3.20 Flask													
Coke \$2.00 Can	Pepsi \$4.20 Bottle	Fanta \$3.20 Flask																